

1/29




FIG. 1A




FIG. 1B




FIG. 2




FIG. 3

10051447-050702




FIG. 4A




FIG. 4B




FIG. 5A




FIG. 5B




FIG. 5C

10051447 0500T

5/29




FIG. 6A




FIG. 6B

10051447.050702

6/29




FIG.7




FIG.8

20/050 2447500F


Jun Shen, et al.

Application No.: 10/051,447


Docket No.: 12218.1600

**Snell & Wilmer / Brett A. Carlson, Reg. No. 39,928**

7/29



**FIG.9A**



**FIG.9B**

[illegible]

8/29




FIG.10




FIG.11

10051447.050702



9/29




FIG.12

10051447.050702

10/29




FIG. 13A




FIG. 13B

10051447.50702

11/29




FIG. 13C




FIG. 13D

10051447.050702

12/29

PREFERRED REGION OF  
PLACEMENT OF THE MICRO  
MAGNETIC LATCHING SWITCH




FIG. 14A




FIG. 14B




FIG. 14C

202050 244T500T

# Micro-Magnetic Latching Switch With Relaxed Permanent Magnet Alignment Requirements

Jun Shen, et al.

Application No.: 10/051,447

Docket No.: 12218.1600

Snell & Wilmer / Brett A. Carlson, Reg. No. 39,928

13/29




FIG. 15A




FIG. 15B

20051447.0500

14/29




FIG. 16




FIG. 17

10051447.050702




FIG. 18A

FIG. 18B

FIG. 18C

FIG. 18D




FIG. 18B

FIG. 19C

# BOOK REVIEW






FIG.20




FIG.21

10051447 000000




FIG. 22




FIG. 23

19/29




FIG. 24






FIG. 25

10051447.050702

20/29



10051447.050702

21/29




FIG. 28




FIG. 29

10051447 050702

Micro-Magnetic Latching Switch With Relaxed Permanent  
Magnet Alignment Requirements

Juh Shen, et al.

Application No.: 10/051,447

Docket No.: 12218.1600

Snell & Wilmer / Brett A. Carlson, Reg. No. 39,928

22/29




FIG. 30A




FIG. 30B

23/29




FIG.31

10051447.050702

24/29




FIG. 32A




FIG. 32B

10051447.1600



25/29




FIG. 33




FIG. 34




FIG. 35

10051447 050702

26/29




FIG. 36A




FIG. 36B

27/29




FIG. 37A

TOP PERMANENT MAGNET




FIG. 37B

10051447.050202

28/29




FIG.37C




FIG.37D

29/29




FIG.38A




FIG.38B

10051447-050702